

HEATECO CLOUD WITH CONTROL VIA INTERNET (CN 031)

CN 031 200 EI CLOUD W

TIN Code	305734
Net weight	5.72 kg
Maximum power	2000 W
Thermo regulator	electronic
For room up to	40-60 m³
Heating area	16-24 m²
Height	0.45 m
Length	0.83 m
Depth	0.09 m

Control via internet	yes
Under window installation	Inside wall

Information

CN 031 200 EI CLOUD W

Electric convector heater with control via Internet

Robust metal construction
Quick and intuitive connection to myTESY app
Upgraded intuitive electronic control
LCD display indicating desired and actual room temperature

Energy saving functions

ErP Compliant - appliance with high value of seasonal energy efficiency
Predefined modes: Eco, Comfort, Sleep
Optimal convection
Accurate electronic thermoregulator in range 10-30° C
Weekly programmer 24h / 7d with 30-minute step
Adaptive start with On / Off option
Open window/door functions with On / Off option
Thermostat calibration to achieve the desired comfort - temperature correction ±4° C
Delayed start function - up to 96 hours

Security functions

Keyboard lock / children protection
Overheating protection
Tip-over protection
Anti-frost protection, fixed on 5° C, with On / Off option
Bathroom installation option - splash proof IP24 protection

Serie information

CN 031 200 EI CLOUD W

Robust metal construction of the appliance and variation of models for wall mounting and floor standing.

Wide range of powers – from 500 W to 3000 W, covering heating area from 4 m² to 32 m².

Intuitive internet control with the new myTESY app gives you the comfort and freedom to always be in touch with your appliance and control its operation, in a way to efficiently save energy.

Thanks to all its features, Heateco with electronic thermoregulator provides high value of seasonal energy efficiency, which means that your appliance is optimizing the energy usage in the most efficient way.