



MODECO CLOUD

GCV 50 47 16D C22 ECW



TIN Code	305082
Model	ModEco Cloud 50
Real Volume	50 L
Height	0.595 m
Width	0.470 m
Depth	0.496 m
Rated power	1600 W
Heating time Δt 45K (15 - 60°C)	1:37 h:min
Control via internet	yes
Annual consumption of electricity AEC	1204 kWh



Energy class	B
Diameter	470 mm
Load profile	M
V40	84 L
T _{out of the box}	70 °C
MAX40	94.4 L

**ModEco Cloud electric water heater**

- Remote control with or without Internet
 - Control via Internet through MyTESY app
 - Full device management with Indoor control
- Optimised SMART mode keeps track of your habits and monthly statistics even when turned off
- Extra protection for longer product life: An alert activates if there is no water in the tank
- Ultimate hygiene for your safety and comfort: Automatic Antilegionella setting neutralises germs by heating the water up to 65 °C once a week
- Energy class B
- ECO SMART mode
- Built-in dry ceramic heater for protection against limescale and for silent operation
- Touch control panel and LCD display

Among the latest additions to the TESI Cloud family with control via Internet are the ModEco Cloud electric water heaters. This range of appliances is characterized by modern design and the most up-to-date technological innovations, which combine various energy-saving solutions and meet the most demanding safety requirements. The electric water heaters are easy to control and monitor from every part of the world, through the MyTESY app or through an Internet browser. The range offers electric water heaters of energy class B with storage capacity of 50 to 100 litres.

- Remote control with or without Internet
 - Control via Internet through MyTESY app
 - Full device management with Indoor Connect
- Indoor Connect
 - Control your device directly through your local network - No internet connection required
 - Faster, more reliable connection for full device management
 - User-friendly interaction - In-app step-by-step guide, no user manual required
- Optimised ECO SMART mode keeps track of your habits even when the mode is not activated
- Extra protection for longer product life: An alert activates if there is no water in the tank and switches off the appliance
- Ultimate hygiene for your safety and comfort: Automatic Antilegionella setting neutralises germs by heating



the water up to 65 °C once a week

- Energy class B
- Built-in dry ceramic heating element for protection against limescale and for silent operation
- Touch control panel and LCD display
- INSUTECH is a special technology that creates highly-efficient insulation for preserving the hot water from cooling until the moment of usage. It allows elimination of the thermal bridge between the water tank and the mounting bracket.
- System for self-diagnostics