TESY
It's impressive



MAXEAU HYBRID

GCV 2005624C D06 S2RH



TIN Code	305171
Model	MaxEau Hybrid 200
Real Volume	200 L
Height	1.357 m
Width	0.560 m
Depth	0.567 m
Rated power	1200/2400 W
Heating time Δt 45K (15 - 60°C)**80°C	08:42/04:21 h:min
Annual consumption of electricity AEC	2711 kWh

Energy class	C
Diameter	560 mm
Load profile	L
V40	290 L
$T_{out\ of\ the\ box}$	60 °C
MAX40	354 L

Information

GCV 2005624C D06 S2RH

MaxEau Hybrid is a 200 litres electric water heater with extra protection for longer product life. The hybrid technology combines the benefits of a classic magnesium anode and a titanium powered anode.

Upgraded protection against corrosion and lime scale:

Titanium anode:

- Powered by electricity
- As long as the water heater is plugged in, it works as the default
- Not backed up by battery

Magnesium anode:

- Backs up the titanium anode whenever there is no power
- Only activated if titanium anode is not working
- Estimated to last for one year of continuous usage

Suitable for any type of water: The double anode works equally well in soft and hard water

Insulation that keeps water warm for longer:

- 40 mm thickness - highest amongst TESY water heaters
- INSUTECH technology – high density and lack of thermal bridge for extremely low heat losses

Extended life of the water tank thanks to the reliable **CrystalTech enamel coating and plasma welding technology**

Light indication in different colours and intensity notifies the user of the different work regimes in order to improve their experience and optimise the product's operation.

Serie information

GCV 2005624C D06 S2RH

MaxEau Hybrid is a 200 litres electric water heater with extra protection for longer product life. The hybrid technology combines the benefits of a classic magnesium anode and a titanium powered anode.

Upgraded protection against corrosion and lime scale:

Titanium anode:

- Powered by electricity
- As long as the water heater is plugged in, it works as the default
- Not backed up by battery

Magnesium anode:

- Backs up the titanium anode whenever there is no power
- Only activated if titanium anode is not working
- Estimated to last for one year of continuous usage

Suitable for any type of water: The double anode works equally well in soft and hard water

Insulation that keeps water warm for longer:

- 40 mm thickness - highest amongst TESY water heaters
- INSUTECH technology – high density and lack of thermal bridge for extremely low heat losses

Extended life of the water tank thanks to the reliable **CrystalTech enamel coating and plasma welding technology**

Light indication in different colours and intensity notifies the user of the different work regimes in order to improve their experience and optimise the product's operation.