



MODECO CLOUD

GCV 1204724D C22 ECW



| | |
|---|------------------|
| Model | ModEco Cloud 120 |
| Real Volume | 120 L |
| Rated power | 2400 W |
| Energy class | C |
| Diameter | 470 mm |
| Heating time Δt 45K (15 - 60°C)**80°C | 2:36 h:min |
| Annual consumption of electricity AEC | 2500 kWh |
| Height | 1.15 m |
| Width | 0.470 m |
| Depth | 0.496 m |



| | |
|-----------------------------|----------|
| Warranty | 7 |
| Control via internet | yes |
| Load profile | L |
| V40 | 222 L |
| T _{out of the box} | 70 °C |
| MAX40 | 236 L |
| Mounting | Vertical |



Information

ModEco Cloud

GCV 1204724D C22 ECW

- Remote control with or without Internet
 - Control via Internet through tesyCloud app
 - Full device management with Indoor control
- Optimised SMART mode keeps track of your habits and monthly statistics even when turned off
- Extra protection for longer product life: An alert activates if there is no water in the tank
- Ultimate hygiene for your safety and comfort: Automatic Antilegionella setting neutralises germs by heating the water up to 65 °C once a week
- Energy class B
- ECO SMART mode
- Warranty 7 years
- Built-in dry ceramic heater for protection against limescale and for silent operation
- Touch control panel and LCD display

Serie information

ModEco Cloud

GCV 1204724D C22 ECW

Among the latest additions to the TESY Cloud family with control via Internet are the ModEco Cloud electric water heaters. This range of appliances is characterized by modern design and the most up-to-date technological innovations, which combine various energy-saving solutions and meet the most demanding safety requirements. The electric water heaters are easy to control and monitor from every part of the world, through the tesyCloud mobile app or through an Internet browser. The range offers electric water heaters of energy class B with storage capacity of 50 to 100 litres.

- Control via Internet - up to 20% lower electricity costs for heating water
- Self-training and self-management; ECO SMART mode for additional comfort and 15% less electric power for heating water
- Touch-control panel and LCD display with crystal visualization
- System for self-diagnostics
- Automatic function ANTILEGIONELA for bacterial protection
- Special technology with inbuilt dry ceramic heating element for lime scale protection and noiseless operation